

REQUEST FOR QUOTATION (THIS IS NOT AN ORDER)			THIS RFQ <input checked="" type="checkbox"/> IS <input type="checkbox"/> IS NOT A SMALL BUSINESS SET-ASIDE		PAGE OF PAGES 1 11
1. REQUEST NO. N00173-12-Q-0319	2. DATE ISSUED 08/31/2012	3. REQUISITION/PURCHASE REQUEST NO. 35-8221-12	4. CERT. FOR NAT. DEF. UNDER BDSA REG. 2 AND/OR DMS REG. 1		RATING
5a. ISSUED BY Supply Officer (Code 3410) NRL Washington DC 20375			6. DELIVER BY (Date) 10/18/2012		
5b. FOR INFORMATION CALL (NO COLLECT CALLS)			7. DELIVERY		
NAME Donna Speight		TELEPHONE NUMBER		<input checked="" type="checkbox"/> FOB DESTINATION <input type="checkbox"/> OTHER (See Schedule)	
		AREA CODE 202	NUMBER 767-0105	9. DESTINATION	
8. TO:			a. NAME OF CONSIGNEE Naval Research Laboratory		
a. NAME ALL QUOTERS		b. COMPANY		b. STREET ADDRESS 4555 Overlook Ave SW	
c. STREET ADDRESS			c. CITY Washington		
d. CITY		e. STATE	f. ZIP CODE	d. STATE DC	e. ZIP CODE 20375
10. PLEASE FURNISH QUOTATIONS TO THE ISSUING OFFICE IN BLOCK 5a ON OR BEFORE CLOSE OF BUSINESS (Date) 09/19/2012		IMPORTANT: This is a request for information, and quotations furnished are not officers. If you are unable to quote, please so indicate on this form and return it to the address in Block 5a. This request does not commit the Government to pay any costs incurred in the preparation of the submission of this quotation or to contract for supplies or service. Supplies are of domestic origin unless otherwise indicated by quoter. Any representations and/or certifications attached to this Request for Quotation must be completed by the quoter.			

11. SCHEDULE (Include applicable Federal, State and local taxes)

ITEM NO. (a)	SUPPLIES/ SERVICES (b)	QUANTITY (c)	UNIT (d)	UNIT PRICE (e)	AMOUNT (f)
	See Attached Continuation Sheets				

12. DISCOUNT FOR PROMPT PAYMENT	a. 10 CALENDAR DAYS (%)	b. 20 CALENDAR DAYS (%)	c. 30 CALENDAR DAYS (%)	d. CALENDAR DAYS	
				NUMBER	PERCENTAGE

NOTE: Additional provisions and representations. are are not attached.

13. NAME AND ADDRESS OF QUOTER			14. SIGNATURE OF PERSON AUTHORIZED TO SIGN QUOTATION		15. DATE OF QUOTATION
a. NAME OF QUOTER			16. SIGNER		b. TELEPHONE
b. STREET ADDRESS					
c. COUNTY			a. NAME (Type or print)		AREA CODE
d. CITY		e. STATE	f. ZIP CODE	c. TITLE (Type or print)	
					NUMBER

STANDARD FORM 36 JULY 1966 GENERAL SERVICES ADMINISTRATION FED. PROC. REG. (41 CFR) 1-16.101	CONTINUATION SHEET	REF. NO. OF DOC. BEING CONT'D N00173-12-Q-0319	PAGE OF 2 11		
NAME OF OFFEROR CONTRACTOR ALL QUOTERS					
ITEM NO.	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0001	<p>The contractor shall provide all labor equipment and materials to furnish and paint the interior of bldg. 36 at the Naval Research Laboratory, Washington D.C.</p> <p>Building 36 is an auto repair shop with ten (10) overhead doors. Interior measures approximately 50' W x 150' L x 16' H. The interior surface walls, ceilings and concrete floor shall be scraped cleaned, primed and painted.</p> <p>Contractor shall assume that all surfaces have been previously painted with lead base paint and all peeling paint, scrapings, etc shall be collected bagged and disposed of as per local safety regulations and laws.</p> <p>Scope of Work:</p> <p>A. The contractor shall lay tarp/sheeting interior of building to catch all scrapings etc as required for disposal.</p> <p>B. The contractor shall remove all job related debris off Gov't property daily.</p> <p>C. The contractor shall prepare and prime any bare surfaces prior to finish two (2) coats of paint.</p> <p>D. The contractor is responsible for verifying the amounts of paint needed to complete this job and is responsible for deficiencies of amount of materials.</p> <p>E. As per Drawings, the contractor shall prepare and paint interior of building.</p> <p>1. The north & south walls color shall be Sherwin-William #6000 burgundy interior latex semi-gloss.</p> <p>2. The East & West walls color shall be Sherwin-Williams # 6149 relaxed khaki interior latex semi-gloss.</p> <p>3. The contractor shall paint already-painted conduits, exhaust ducts post, bollards, etc. on walls same color as wall color.</p> <p>4. The contractor shall paint wooden/metal trim, door/window interior latex semi-gloss. The color shall be white except the entrance door bronze tone.</p> <p>5. The contractor shall paint the ceiling white.</p>	1	EA		

STANDARD FORM 36 JULY 1966 GENERAL SERVICES ADMINISTRATION FED. PROC. REG. (41 CFR) 1-16.101		CONTINUATION SHEET		REF. NO. OF DOC. BEING CONT'D		PAGE OF	
				N00173-12-Q-0319		2 a 11	
NAME OF OFFEROR CONTRACTOR							
ALL QUOTERS							
ITEM NO.	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT		
0002	<p>6. The concrete floor paint shall be Sherwin-Williams armor seal 1-K. The color shall be a close match to #6149 relaxed khaki.</p> <p>7. The contractor shall paint existing yellow markings safety yellow. Contractor shall verify the quantities on the field.</p> <p>F. The contractor shall not use any paint spraying work and shall not paint overhead doors. This work shall be performed during normal working hours; Monday through Friday, 7am-4pm. The contractor shall visit the job site for exact location, dimension and conditions for painting building for further information concerning specifications, contact David Keller at david.keller@nrl.navy.mil.</p> <p>CLEAN-UP: Maintain surfaces of lead control area of accumulations of dust and debris. Restrict the spread of dust and debris; keep waste from being distributed over the work area. Do not dry sweep or use pressurized air to clean up the area.</p> <p>At the end of each shift and when the lead operation has been completed, clean the controlled area of visible contamination by vacuuming with a heap-filtered vacuum cleaner, wet mopping the area and wet wiping the area. Re-clean areas showing dust or debris. After visible dust and debris is removed, we wipe and heap vacuum all surfaces in the controlled area. If adjacent areas become contaminated at any time during the work, clean visually inspect, and then wipe sample all contaminated areas.</p> <p>DISPOSAL: Contractor is responsible for segregation of waste. Collect lead-contaminated waste, scrap, debris, bags, containers, equipment, and lead-contaminated clothing that may produce airborne concentrations of lead particles. Label the containers in accordance with 29 CFR 1926.62 and 40 CFR 261. Dispose of lead contaminated material classified as hazardous waste at an approved hazardous waste treatment storage or disposal facility off government property. Store waste materials in U.S. Department of Transportation (49 CFR 178) approved 208 liter 55 gallon drums. Properly label each drum to identify the type of waste (49 CFR 172) and the date the drum was filled. For hazardous waste, the collection drum requires marking/labeling in accordance with 40 CFR 262 during the accumulation/collection timeframe.</p>	1	EA				

STANDARD FORM 36 JULY 1966 GENERAL SERVICES ADMINISTRATION FED. PROC. REG. (41 CFR) 1-16.101	CONTINUATION SHEET	REF. NO. OF DOC. BEING CONT'D N00173-12-Q-0319	PAGE OF 2 b 11		
NAME OF OFFEROR CONTRACTOR					
ALL QUOTERS					
ITEM NO.	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	<p>The Contracting Officer or an authorized representative will assign an area for interim storage of waste-containing drums. Handle, store, transport, and dispose lead or lead-contaminated waste in accordance with 40 CFR 260, 40 CFR 261, 40 CFR 262, 40 CFR 263, 40 CFR 264 and 40 CFR 265. Comply with land disposal restriction notification requirements as required by 40 CFR 268.</p> <p>DISPOSAL DOCUMENTATION: Submit written evidence to demonstrate the hazardous waste treatment. Storage or disposal facility (TSD) is approved for lead disposal by the EPA, state, or local regulatory agencies. Submit one copy of the completed hazardous waste manifest, signed and dated by the initial transporter in accordance with 40 CFR 262. Contractor shall provide a certificate that the waste was accepted by the disposal facility. The manifest must be signed by an authorized staff from NRL code 3546.</p> <p>FIRE PERMIT: The contractor shall not perform any type of welding, torch cutting and/or open flame work without obtaining a fire permit. The contractor shall contact the base fire department and obtain a fire permit. The contractor shall comply with all fire department regulations and procedures regarding the issuance of fire permits, The Fire Department's telephone number is (202) 767-3333.</p> <p>HOURSKEEPING: During the contract period, the contractor shall be responsible for maintaining a continuous clean working environment in all areas where contract work is being accomplished on a daily basis. At the end of each working day, the contractor shall sweep down and clean the working area, collect and remove all debris from government property. NRL dumpsters may not be used.</p> <p>WASTE MANAGEMENT: The contractor shall submit a construction waste management plan. This plan shall require the contractor to recycle all acceptable waste & report recycling statistics back to code 3546 or the Contracting Officer upon completion of the job. For any additional information, contact the Safety Office at (202) 767-2232.</p>				

STANDARD FORM 36 JULY 1966 GENERAL SERVICES ADMINISTRATION FED. PROC. REG. (41 CFR) 1-16.101		CONTINUATION SHEET		REF. NO. OF DOC. BEING CONT'D N00173-12-Q-0319	PAGE OF 2 c 11
NAME OF OFFEROR CONTRACTOR					
ALL QUOTERS					
ITEM NO.	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0003	<p>MATERIAL AND EQUIPMENT SUBMITTALS: Upon award of contract, the contractor shall provide manufacturer's materials and equipment specification and/or cut sheets pertaining to this contract work. The contracting Officer's Technical representative shall review the contractor's materials and equipment specifications data information for approval and/or disapproval.</p> <p>SAFETY: Contractor and any sub-contractor for this job shall comply with 29 CFR 1926, and EM 385-1-1, US Army Corps of Engineers safety and health requirements manual. The contractor shall provide a competent person as site safety and health officer for hazards identified in the activity hazard analysis (AHA). This person shall have successfully completed the 30 hours of the OSHA construction safety training course. This person shall identify existing and predictable hazards that are dangerous to personnel and have authorization to take prompt corrective measures to eliminate them. Safety training requirements for the site safety and health officer and competent persons are provided in the EM 385-1-1-. A safety plan must include a site-specific accident prevention plan including AHA for government review and approval. The contractor shall provide a qualified person who by possession of a recognized, degree-certified, professional standing, knowledge, training or experience has successfully demonstrated his or her ability to solve or resolve problems related to the work or the project. Lead-base paint abatement shall comply with applicable Washington, D.C., lead laws.</p> <p>Marco Carreras at (202) 404-7203, will be the point of contract for all questions and scheduling of work as well as inspections of work for payment to contractor.</p> <p>SEE ATTACHED SITE-VISIT INSTRUCTIONS</p>	1	EA		

STANDARD FORM 36 JULY 1966 GENERAL SERVICES ADMINISTRATION FED. PROC. REG. (41 CFR) 1-16.101	CONTINUATION SHEET	REF. NO. OF DOC. BEING CONT'D N00173-12-Q-0319	PAGE OF 2 d 11		
NAME OF OFFEROR CONTRACTOR ALL QUOTERS					
ITEM NO.	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	<p>REQUEST FOR JOB SITE VISIT DATE: 09/11/2012 TIME: 10:00 a.m. PLACE: NAVAL RESEARCH LABORATORY 4555 Overlook Avenue, SW, Washington, DC 20375-5329 POINT OF CONTACT: Donna Speight, 202-767-0105, Bldg. 32,</p> <p>Contractors are required to VISIT the JOB SITE before any quotations are accepted for the acquisition listed on the RFQ/Solicitation. PROPER ID is REQUIRED. A VALID Driver's License is sufficient. You are required to report to Bldg. 72 for a proper pass for access to NRL. If a vendor representative does not attend the schedule job site visit, they may be considered 'Non-Responsive'. At the end of the Job Site Visit, each representative will be informed of the date the quotation must be submitted. If the quotations are not received by that date, they will be considered a "No Bid". Contact with the End-User is strictly prohibited (other than the job site visit). Any contact may result in the bid being considered 'tainted' and subsequently cancelled.</p> <p>Any questions the Vendor representatives may have after the Job Site Visit must be directed to the Contracting Officer (above) at e-mail address SolQn@nrl.navy.mil no later than 09/13/2012 at 4:00 p.m. Eastern Standard Time. Any changes in the description, specifications or drawings after the job site visit will be issued to ALL vendors. All bids should be submitted on 09/19/2012 by 4:00 Eastern Standard Time.</p> <p>If an emergency arises and the vendor representative cannot attend the scheduled Job Site Visit, PLEASE call the POC at the above number by the morning of the Job Site Visit to let him/her know you will not be able to attend. The Contractor is required to notify the Contracting Officer by 09/10/2012, 4:00 pm of intent to attend the site visit.</p>				